Honeywell



View More

PRODUCT NUMBER: 1005952

Percap Banded Earplugs

Overview

Reference Number
1005952

Product Type
Hearing Protection

Range
Earplugs

Line
Banded Earplugs

Brand
Howard Leight by Honeywell

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Minning and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use
Banded Earplug, Foldable

Features & Benefits

Feature
Semi-aural protection, super soft pods rest outside the ear canal opening. Multiple position wear: over-the-head, under-the-chin or behind-the-neck provides flexibility in wear. Compact, folding design easy to store in pocket. Ideal for workers who are exposed to intermitent noise.

Benefit
For workers who are exposed to intermitent or low levels of noise, Howard Leight's PerCap banded earplugs offer an alternative to earplugs and earmuffs. From its compact design to semi-aural protection, PerCap offers reliable protection from noise with ear pods that rest outside of the ear canal opening. PerCap can be worn in three positions and folds down for pocket-sized storage, ideal for supervisors and other workers who are in and out of noisy areas, and need easy access to hearing protection

Technical Description

Attenuation Data

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	21.4	22.5	21.5	19.0	22.6	30.3	35.7	38.8
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	4.8	3.5	3.6	2.9	2.7	3.1	4.2	4.3
Assumed Protection (dB) Angenommener (dB) Protection supposé (dB)	16.6	19.0	17.9	16.1	19.9	27.2	31.5	34.5

Size
Fits All

Shape
oval pad

Corded
No

Design Patents
Folding Banded Earplug

Certifications

E.C. Declaration of Conformity

EC Category PPE
2

Quality Assurance
ISO 9001 / 2000

EC Certificate Number
961088

EC Attestation
EC Attestation

EC Attestation Number
200422744

Photos & Images

We're sorry, there are no images available at this time.

Maintenance

Life Cycle
These earplug pods must be disposed of and replaced after each wearing.

Storage Information
All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions
Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Parts & Accessories

Accessories
Replacement pods - Ref. # 1005980

Packaging

EAN Code
17312550059521

Honeywell

View other region sites

© 2011 Honeywell International Inc.

Prüf- und Zertifizierungsstelle
im BG-PRÜFZERT

European notified body
Identification number 0121

BGIA
Berufsgenossenschaftliches
Institut für Arbeitsschutz

Hauptverband der gewerblichen
Berufsgenossenschaften

Translation
In any case, the German original shall prevail.

EC-Type Test Certificate

961088
No. of certificate

Name and address of the holder of the certificate: (customer)	Bacou Dalloz AB Box 550 26050 Billesholm Sweden
Name and address of the manufacturer:	Howard Leight Industries 7828 Waterville Road San Diego, California 92154 USA

Ref. of customer:	Ref. of Test and Certification Body:	Date of Issue:
	200422744	2005-10-20

Product designation:	foldable banded earplug HLI PerCap
Type:	PerCap
Intended purpose:	preshaped ear-plug with foldable universal headband / personal protective equipment according to article 8 (2) of the EC-directive 89/686/EEC (category II)

Testing based on:	- Basic requirements for health and safety in accordance with Annex II of the EC-directive 89/686/EEC - EN 352-2:2002 - EN 13819-1:2002 - EN 13819-2:2002
Test report:	200422744 as of 2005-10-20
Remarks:	This certificate replaces the certificate of 1996-09-09 issued with with the same number.

The type tested complies with the provisions laid down in the directive 89/686/EEC (Personal Protective Equipment), amended by the directives 93/68/EEC, 93/95/EEC and 96/58/EC.

Further conditions are laid down in the Rules of Procedure for Testing and Certification of April 2004.

Head of certification body
.....
(Prof. Dr. rer. nat. Dietmar Reinert)

Certification officer
.....
(Dr. rer. nat. Martin Liedtke)

Postal adress:
53754 Sankt Augustin

Office:
Alte Heerstraße 111
53754 Sankt Augustin

Phone: 0 22 41/2 31-02
Fax: 0 22 41/2 31-22 34

Prüf- und Zertifizierungsstelle
im BG-PRÜFZERT

Europäisch notifizierte Stelle
Kenn-Nummer 0121

BGIA
Berufsgenossenschaftliches Institut für Arbeitsschutz

Hauptverband der gewerblichen Berufsgenossenschaften

EG-Baumusterprüfbescheinigung

961088
Bescheinigungs-Nummer

Name und Anschrift des Bescheinigungsinhabers: (Auftraggeber)	Bacou Dalloz AB Box 550 26050 Billesholm Schweden
Name und Anschrift des Herstellers:	Howard Leight Industries 7828 Waterville Road San Diego, Kalifornien 92154 USA

Zeichen des Auftraggebers:	Zeichen der Prüf- und Zertifizierungsstelle:	Ausstellungsdatum:
	200422744	20.10.2005

Produktbezeichnung:	faltbarer Bügelstöpsel HLI PerCap
Typ:	PerCap
Bestimmungsgemäße Verwendung:	Fertig geformter Gehörschutzstöpsel mit faltbarem Universalbügel / Persönliche Schutzausrüstung nach Art. 8 (2) der EG-Richtlinie 89/686/EWG (Kategorie II)

Prüfgrundlage:	- Grundlegende Anforderungen für Gesundheitsschutz und Sicherheit nach Anhang II der EG-Richtlinie 89/686/EWG - EN 352-2:2002 - EN 13819-1:2002 - EN 13819-2:2002
Zugehöriger Prüfbericht:	200422744 vom 20.10.2005
Bemerkungen:	Diese Bescheinigung ersetzt die Bescheinigung mit der gleichen Nummer vom 9.9.1996.

Das geprüfte Baumuster entspricht den einschlägigen Bestimmungen der Richtlinie 89/686/EWG (Persönliche Schutzausrüstungen), geändert durch die Richtlinien 93/68/EWG, 93/95/EWG und 96/58/EG.

Weitere Bedingungen regelt die Prüf- und Zertifizierungsordnung vom April 2004.

Leiter der Zertifizierungsstelle

.....
(Prof. Dr. rer. nat. Dietmar Reinert)

Fachzertifizierer

.....
(Dr. rer. nat. Martin Liedtke)

Postadresse:
53754 Sankt Augustin

Hausadresse:
Alte Heerstraße 111
53754 Sankt Augustin

Telefon: 0 22 41/2 31-02
Telefax: 0 22 41/2 31-22 34

Honeywell

E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:
Honeywell Safety Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:
Designation: Percap Banded Earplugs
Reference: 1005952
Standard(s): EN 352-2:2002, EN-13819-1:2002, EN-13819-2:2002

This PPE is the object of the below EC examination certificate n°:
961088

Delivered by:
B.G.I.A.
Alte Heerstrasse 111
53754
Stankt Augustin
Germany

Drawn up in Sankt Augustin, on the 24/09/2012
By: BGIA
Division: Hearing Protection



Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France
Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80
www.honeywellsafety.com