



HexArmor

Needlestick

Product Name	EN420 Sizing*	Dexterity***	EN388:2003 	EN 388:2016 	EN407:2004 	EC Notified Body	EU Directive 89/686/EWG	EU 2016/425	ANSI Puncture	ANSI/ ISEA Needlestick
3041	7-11	-	4522	4X12F	-	2019	EU 89/686/EWG	EU 2016/425	3	5
3180	7-11	2	-	4X12F	-	2019	EU 89/686/EWG	EU 2016/425	3	5
7082	7-10	5	4533	4X33F	-	2019	EU 89/686/EWG	EU 2016/425	4	4
9014	6-10	5	4544	4X44F	-	2019	EU 89/686/EWG	EU 2016/425	5	5
9030P	6-12	5	4543	4X33F	-	2019	EU 89/686/EWG	EU 2016/425	4	5
9032	7-11	3	-	4X43F	-	2019	EU 89/686/EWG	EU 2016/425	4	5
4041	6-11	4	-	4X42F	-	2019	EU 89/686/EWG	EU 2016/425	3	5
4043	6-11	5	-	4X42F	-	2019	EU 89/686/EWG	EU 2016/425	3	5
4045	6-11	5	4532	4X22F	-	2019	EU 89/686/EWG	EU 2016/425	3	3
4046	6-11	5	4512	4X12F	-	2019	EU 89/686/EWG	EU 2016/425	3	4
4048	7-11	5	4532	4X43F	-	2019	EU 89/686/EWG	EU 2016/425	4	5
6044	5-11	-	4523	4X33F	-	2019	EU 89/686/EWG	EU 2016/425	4	4

*All sizes comply with the EN420:2003 test for comfort and fit and dexterity. Per customer recommendations, HexArmor® has specifically manufactured these gloves to have a tighter fit in order to increase dexterity, the length is appropriate for the intended use.

***Dexterity

Performance Level	Smallest Diameter
1	11
2	9.5
3	8
4	6.5
5	5

**Handling/care: New and used gloves should be checked thoroughly to ensure that they are not damaged (i.e. incisions, holes).



